



Large Mesh Wire Trimmer Machine Hydraulic 1000MM CE Approved

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: 5.5KW
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 100 Set/Sets per Month



Product Specification

- Condition: New
- Machine Type: Trimming Machine
- Weight (KG): 800
- Warranty Of Core Components: 1 Year
- Control System: Hydraulic System
- Function: Trimming Mesh Edge
- Advantage: The Whole Machine Is Stable And Fast, And Can Be Trimmed Within 1.5m At A Time.
- Port: Shenzhen, China
- Highlight: **1000MM Wire Trimmer Machine, Hydraulic Wire Trimmer Machine**



Product Description

Large Mesh Trimming Machine 1000MM



Trim Style

突出来的都需要修整
protruding iron head needs to be cut off



Application of trimming machine

It is mainly used for trimming the periphery of wire metal mesh, with flat port and simple operation.

For example: highway or railway fence, building ground is paved with wire mesh, pet cage mesh, storage rack mesh, barbecue mesh, etc.

Features of this machine, the length of the blade is 1000MM, Barbed wire less than 1000MM can be completed at one time..

name

JX-1000Hydraulic trimming machine,
large mesh trimming machine,
fast trimming machine


Performance characteristics:

1. This hydraulic trimming machine is specialized in trimming the mesh with large edges. The mesh length can be 1m or more at one time. Within the allowable range, a large mesh can be repaired only four times.
2. The machine has a large mesh support adjustment frame, which makes it easier and easier to operate. It takes only 2 seconds to cut each side within 1m, which is very simple and efficient.
3. Large motor, large oil pump, fast start and strong power. You are a good helper for the ideal large order. Thickened sheet metal, specially fixed, the whole machine is very firm and stable.
4. The cutter adopts special materials for special treatment, which is very durable, the cutting products are neat, and can be


treated at a certain angle.

5. Inching start, set the position, step on the foot, and the switch works once, which is very random.

Structure show



Wire mesh display



technical parameter			
model	JX-1000	JX-1250	JX-1500
Hydraulic system	5.5KW+PV2	5.5KW+PV2	7.5KW+PV2
Number of cylinders	100*50-50*1	100*50-50*1	100*50-50*2
Maximum cutting length at one time	≤1000	≤1250	≤1500
M/MIN cutting speed	1	1	1
CM Overall dimension (L x W x H)	125*110*190	150*110*190	175*110*190
KG weight	1000	1170	1500

Shipped in wooden cases for export



Warm tip:

our products are constantly upgrading and adjusting.
If the pictures displayed are different from the real object,
the real object shall prevail, and will be confirmed when placing the order.



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China