

1500MM Hydraulic Trimming Machine / Wire Mesh Edge Trimming Machine **For Grill**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Negotiable Export wooden case
- · Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T 100 Set/Sets per Month
- Supply Ability:



Product Specification

- Condition:
- Machine Type: • Weight (KG):
- Warranty Of Core Components:
- Control System:
- Function:
- Advantage:
- Port:
- Highlight:

New **Trimming Machine** 980 1 Year

Guangdong, China

5-10 days or negotiation

Jin Hongxiang

CE

7.5KW

- Hydraulic System
- Trimming Mesh Edge
 - The Whole Machine Is Stable And Fast, And Can Be Trimmed Within 1.5m At A Time.
- Shenzhen, China
- Grill Hydraulic Trimming Machine, 1500MM Hydraulic Trimming Machine, 1500MM Wire Mesh Edge Trimming Machine



Our Product Introduction

Hydraulic Trimming Machine For Grill. 1500MM

Trim Style



Function:

This machine is used to trim the protruding points of iron wire or cut off the excess iron wire ends. A mesh less than 1.5 meters long can be completed at one time in only 1 second. Really fast, simple and easy.

Application:

storage rack net, iron wire fence, net fan net cover, kitchen and bathroom rack supplies, refrigerator, oven basket, pet cage, etc

Name:

JX mesh trimming machine, trimming machine, hydraulic trimming machine, 1.5m long trimming machine, trimming machine, wire cutting machine, fast trimming machine, high-speed trimming machine

Working principle:

the oil pump of the hydraulic trimming machine is controlled by the electric control box. After the oil pump starts, it gets the pressure to supply oil to the oil cylinder. The buttons and knobs on the electric control box send signals to the solenoid valve reverse flow valve, which controls the flow direction. The reverse flow valve controls the flow rate and flow rate, which determines the speed of the machine's decline and rise. The oil cylinder is driven by the oil to descend and ascend. The upper tool holder fixed below the oil cylinder will also rise with the oil cylinder descending. The upper tool holder is equipped with an alloy steel upper blade, which is tangent to the lower blade when descending to cut off the rough edge of the wire rod. During operation, after starting the power supply on the electric control box, each trimming is controlled by the foot switch. When the foot switch is depressed, the oil pump starts to drive the cylinder to move, and the cutter drops. When the foot switch is released, the oil pump stops, the cutter rises, and the workpiece is removed. In this way, the product is processed in a cycle.





Performance characteristics:

1. The blade is 1.5m long and made of special technology. The mesh less than 1.5m long can be trimmed at one time, which is fast, time-saving and labor-saving. Wear resistant and durable.

There is a guardrail supporting mesh at the cutter, which can be pushed left and right, and the height and tangent angle can be adjusted up and down. Easily meet all kinds of needs.



2. The double head is fixed, the large sliding rails on both sides slide, the heavy oil cylinder is adjustable, the whole machine is stable and powerful, and the cutting angle is controllable.



3. Large motor + high-pressure pump + large flow valve provide large power for the whole machine, and the hydraulic cooling pump provides large power for long-term operation without being affected by high temperature.



Structure show



The technical parameters of quick repair press trimming machine

model	JX-1000	JX-1250	JX-1500
Hydraulic system	5.5KW+PV2	5.5KW+PV2	7.5KW+PV2
Number of cylinders	100*50-50*1	100*50-50*1	100*50-50*2
Maximum cutting length at one time MM	≤1000	≤1250	≤1500
cutting speed M/MIN	1	1	1
Overall dimension (L x W x H) CM	125*110*190	150*110*190	175*110*190
weight KG	1000	1170	1500

Warm tip:

our products are constantly upgrading and adjusting.

If the pictures displayed are different from the real object,

the real object shall prevail, and will be confirmed when placing the order.

Our service:

The Company have been specializing in the production of welding forming equipment for more than 20 years, with strong technology, sophisticated experience, leading product quality in the industry, and have a good reputation in the industry. Each equipment is equipped with spare parts of excellent quality. Each equipment has undergone strict ex factory aging commissioning and long-term work trial. Besides, there are professional after-sales service technicians who can provide video guidance on installation and debugging at any time during working hours.

"All equipment shall be guaranteed for one year and maintained for life. You buy with peace of mind, using is very satisfactory!!

Dongguan Jinghongxiang Automation Equipment Co., Ltd.				
13925780098	jhx16888@gmail.com	e wire-bendingmachine.com		
No. 78, Shangzhong Road,	Shangdi Industrial Zone, Liaob	u Town, Dongguan, Guangdong, China		